



# QUICK REVIEW ON ALL THE APHORISMS OF ORGANON OF MEDICINE 6<sup>TH</sup> EDITION

Dr. Nihal kumar, BHMS, Pune

- **Aph. No. 1 :-** Physician mission
- **Aph. No. 2 :-** Ideal cure
- **Aph. No. 3,4,5 :-** Physician's qualification





- **Aph. No. 6,7 :-** Manifestation of disease




- **Aph. No. 8 :-** Restoration of health

- **Aph. No. 9-17 :-** Vital force




- **Aph. No. 18 :-** Symptom totality


- **Aph. No. 19-24 :-** Knowledge of remedies, drug, proving & Formal derivation of law of similars




- **Aph. No. 25-29 :-** Homoeopathic law of cure



- **Aph. No. 30-34 :-** How medicines are stronger than natural disease



- **Aph. No. 35-42 :-** Law of dis-similar



**Aph. No. 41**  
Natural + Artificial = complex

**Aph. No. 42**  
Dis-similar diseases complicates  
One another

□ **Aph. No. 43-51 :-** What happens when two similar diseases meets together

**Aph. No. 43**  
To similar diseases cure

**Aph. No. 44**  
They neither-repel, suspend  
Nor form complex

**Aph. No. 45**  
How they work

**Aph. No. 46**  
Example

**Aph. No. 47**  
Lesson

**Aph. No. 48**  
Experience to teach

**Aph. No. 49**  
Minute observation

**Aph. No. 50**  
Why-for cure we should  
Not depend upon nature

**Aph. No. 51**  
Advantageous of similia

□ **Aph. No. 52-60 :-** Different system of medicine

**Aph. No. 52**  
System of treatment

**Aph. No. 53**  
Why homoeopathy is best

**Aph. No. 54**  
Allopathy is based on guess work

**Aph. No. 55**  
Allopathy temporary relief

**Aph. No. 56**  
Antipathy

**Aph. No. 57**  
Antipathy-examples

**Aph. No. 58**  
Antipathy disadvantages

**Aph. No. 59**  
Examples of disadvantages

**Aph. No. 60**  
Disadvantages of increasing  
Potency

□ **Aph. No. 61-62 :-** Ideal system of medicine

**Aph. No. 61**  
Disadvantages of antipathy &  
Advantages of homoeopathy

**Aph. No. 62**

□ **Aph. No. 63-69 :-** Primary and secondary action

**Aph. No. 63**  
Primary & secondary  
Action

**Aph. No. 64**  
Explanation

**Aph. No. 65**  
Examples

**Aph. No. 66**  
Homoeopathic medicines  
primary & secondary action

**Aph. No. 67**  
Antipathy primary &  
secondary action

**Aph. No. 68**  
Advantages of homoeopathy

**Aph. No. 69**  
Disadvantages antipathy

□ **Aph. No. 70 :-** Summery

□ **Aph. No. 71 :-** Miniature organon (three points necessary for curing)

□ **Aph. No. 72-81 :-** Classification of diseases

**Aph. No. 72**  
General survey of disease  
Acute & chronic

**Aph. No. 73**  
Types of acute  
disease

**Aph. No. 74**  
Artificial chronic  
diseases

**Aph. No. 75**  
These are most  
incurable

**Aph. No. 76**  
It is only when the V.F. is still  
Sufficiently powerful that the  
Injury can then be repaired, often  
Only after long time, if original  
Disease be at the same time  
Homoeopathically eradicated.

**Aph. No. 77**  
Pseudo chronic diseases

**Aph. No. 78**  
True chronic disease

**Aph. No. 79**  
Knowledge of syphilis,  
Sycosis

**Aph. No. 80**  
Fundamental cause psora

**Aph. No. 81**  
Development of psora

□ **Aph. No. 82 :-** Individualization

□ **Aph. No. 83-104 :-** Case taking

**Aph. No. 83**  
Physician-  
1. free from prejudice  
2. sound senses  
3. attentive

**Aph. No. 84**  
Recording of  
symptom

**Aph. No. 85**  
New symptom  
on fresh line

**Aph. No. 86**  
Physician  
observation

**Aph. No. 87**  
Details of  
Symptoms

**Aph. No. 88**  
Use of general  
expression

**Aph. No. 89**  
Precise &  
special?

**Aph. No. 90**  
Obsrevation

**Aph. No. 91**  
Past treatment  
& recording

<b>Aph. No. 92</b> Recoding- Acute symptom	<b>Aph. No. 93</b> Private?	<b>Aph. No. 94</b> Investigation of maintaining cause	<b>Aph. No. 95</b> Recording of long suffering	<b>Aph. No. 96</b> Reccording of hypochondric Case
<b>Aph. No. 97</b> Recording of indolent case	<b>Aph. No. 98</b> Record only patients language		<b>Aph. No. 99</b> Recording acute case is easy	
<b>Aph. No. 100/101/102</b> Investigation of the epidemic Disease in particular	<b>Aph. No. 103</b> Investigation of psora		<b>Aph. No. 104</b> Utility of nothing down in writing the picture of the disease for the Purpose of curing in the progress of the treatment.	

□ **Aph. No. 105-145 :- Drug proving**


<b>Aph. No. 105</b> Investigation of Pathogenetic power Of medicine	<b>Aph. No. 106</b> Knowledge of medicine	<b>Aph. No. 107</b> Drug proving on sick	<b>Aph. No. 108</b> Drug proving- healthy individual
<b>Aph. No. 109</b> Own credit- Dr. hahnemann	<b>Aph. No. 110</b> Allopathy-effect of drug on healthy person	<b>Aph. No. 111</b> Aggrement with poison drug effect	<b>Aph. No. 112</b> Primary & secondary action of drug
<b>Aph. No. 113</b> Exception Narcotic	<b>Aph. No. 114</b> Primary action in moderate doses	<b>Aph. No. 115</b> Alternating action	<b>Aph. No. 116</b> Prove drug on groups & not on individual
<b>Aph. No. 117</b> Idiosyncrasies	<b>Aph. No. 118</b> Individualization Of drug	<b>Aph. No. 119</b> Individualization- drug action	<b>Aph. No. 120</b> careful drug proving
<b>Aph. No. 121</b> Drug doses for Proving	<b>Aph. No. 122</b> Prove simple drug	<b>Aph. No. 123</b> Method of preparation	<b>Aph. No. 124</b> Single drug proving
<b>Aph. No. 125</b> Drug proving Diet	<b>Aph. No. 126</b> Qualities of prover	<b>Aph. No. 127</b> Drug proving on both sexes	<b>Aph. No. 128</b> prove only dynamic drug

<b>Aph. No. 129</b> Small dose	<b>Aph. No. 130</b> First dose acts- Record symptoms	<b>Aph. No. 131</b> Increasing the dose	<b>Aph. No. 132</b> Drug proving of weak medicinal substance
<b>Aph. No. 133</b> Through drug proving?	<b>Aph. No. 134</b> Drug proving on Many person	<b>Aph. No. 135</b> Confirmatory reproving	<b>Aph. No. 136</b> All symptoms of drug can't be noted on one person
<b>Aph. No. 137</b> Comparison of large & moderate dose	<b>Aph. No. 138</b> Alteration in health during drug proving	<b>Aph. No. 139</b> Illiterate prover	<b>Aph. No. 140</b> Literate prover
<b>Aph. No. 141</b> Ideal prover- Physician himself	<b>Aph. No. 142</b> Investigation of effect of medicine	<b>Aph. No. 143</b> Materia medica pura	
<b>Aph. No. 144</b> Building of material medica		<b>Aph. No. 145</b> Remedy	


□ **Aph. No. 146-154 :-** Method of selection of medicine

<b>Aph. No. 146</b> Idea about employment Of medicines to get perfect Homoeopathic cure	<b>Aph. No. 147</b> Homoeopathic specific remedy	<b>Aph. No. 148</b> Natural disease caused by dynamic inimical agency
<b>Aph. No. 149</b> Chronic diseases takes Proportionate time to cure	<b>Aph. No. 150</b> Indisposition	<b>Aph. No. 151</b> Important diseases have a number of symptoms
<b>Aph. No. 152</b> Acute disease Selection is easy	<b>Aph. No. 153</b> For choice of remedy striking, singular, uncommon & symptoms Of the disease should be considered	<b>Aph. No. 154</b> Homoeopathic medicines cure acute disease without much disturbance


□ **Aph. No. 155-160 :-** Dose




□ **Aph. No. 161-171 :- Remedy reaction**




□ **Aph. No. 172-184 :- One sided diseases**




□ **Aph. No. 185-203 :- Local diseases**



□ **Aph. No. 204-209 :- Chronic diseases**



□ **Aph. No. 210-230 :- Mental diseases**






<b>Aph. No.214</b> Treatment of mental Diseases	<b>Aph. No. 215</b> Mental & corporeal diseases are same	<b>Aph. No. 216</b> Somato-psychic type	<b>Aph. No. 217</b> Disease portrait= mental+ physical Symptoms
<b>Aph. No. 218</b> Past h/o of the Patient	<b>Aph. No. 219</b> Comparison b/w past & present symptom	<b>Aph. No. 220</b> Selection of medicine in chronic mental disease	<b>Aph. No. 221</b> Management of acute mental disease
<b>Aph. No. 222</b> Radical treatment Of Acute mental Diseases	<b>Aph. No. 223</b> When not treated with antipsorics the disease aggravation	<b>Aph. No. 224</b> Mental diseases of doubtful origin	<b>Aph. No. 225</b> Emotional diseases
<b>Aph. No. 226</b> Treatment of emotional diseases	<b>Aph. No. 227</b> Behavior with the patient of mental diseases	<b>Aph. No. 228</b> Complete cure of emotional diseases-antipsorics	
<b>Aph. No. 229</b> Behavior of physician With the patients		<b>Aph. No.230</b> Radical treatment of mental diseases	


□ **Aph. No. 231-244 :- Intermittent & Alternating diseases**

<b>Aph. No. 231</b> Intermittent disease - Febrile - Afebrile	<b>Aph. No. 232</b> Alternating disease	<b>Aph. No. 233</b> Typical intermittent diseases	<b>Aph. No. 234</b> Non febrile typical intermittent diseases
<b>Aph. No.235</b> Management of intermittent Fever	<b>Aph. No. 236</b> Appropriate time for administration of medicine	<b>Aph. No. 237</b> Time for prescribing medicine when there is Short attack of disease	
<b>Aph. No. 238</b> Repetition of same Medicine	<b>Aph. No. 239</b> Every medicine causes different peculiar fever	<b>Aph. No. 240</b> Intermittent fever & antipsoric medicine	
<b>Aph. No. 241</b> Intermittent genus Epidemicus	<b>Aph. No. 242</b> Psoric intermittent fever	<b>Aph. No. 243</b> Treatment of pernicious intermittent fever	<b>Aph. No. 244</b> Endemic intermittent fever


□ **Aph. No. 245-258 :- Homoeopathic posology**



□ **Aph. No. 259-263 :- Diet & regimen**



□ **Aph. No. 264-272 :- Homoeopathic pharmacy**



□ **Aph. No. 273-274 :-** Law of simplex

<b>Aph. No. 273</b> Single or complex medicine	<b>Aph. No. 274</b> Advantage of use of single medicine
---	--

□ **Aph. No. 275-283 :-** Strength of the dose for homoeopathic use

<b>Aph. No. 275</b> Large dose is injurious	<b>Aph. No. 276</b> Effect of high potency	<b>Aph. No. 277</b> Minimum dose
<b>Aph. No. 278</b> Potency selection	<b>Aph. No. 279</b> Homoeopathically selected Medicine	<b>Aph. No. 280</b> Signs of correct selection perfect cure
<b>Aph. No. 281</b> Signs of restoration	<b>Aph. No. 282</b> Homoeopathic aggravation	<b>Aph. No. 283</b> Unsuitable medicine in Small dose is not harmful

□ **Aph. No. 284-285 :-** Route of administration

<b>Aph. No. 284</b> What part of the body are susceptible To the influence of remedies	<b>Aph. No. 285</b> External application of medicine
--	---

□ **Aph. No. 286-291 :-** Ancillary measures

<b>Aph. No. 286</b> Electricity & galvanism	<b>Aph. No. 287</b> Mineral magnet	<b>Aph. No. 288/289</b> Animal magnetism & mesmerism
<b>Aph. No. 290</b> Massage		<b>Aph. No. 291</b> Bath